

# **PVC COUPLINGS**

CDT Underground, LLC., supplies a variety of solvent weld PVC couplings for electrical and communications applications. Couplings are either molded or fabricated dependent upon application. PVC couplings are available in Schedule 40, DB60, DB120 and Type C.

PVC Couplings are available in sizes 1/2" to 8" gray in color (buff is available upon request) and packaged in boxes.

Markets served by CDT include CATV, telecommunications, utility and DOT.


DUCT SIZE	BOX QTY	WEIGHT PER BOX
1/2"	200	7
3/4"	125	6
1"	70	4
1-1/4"	40	3
1-1/2"	30	3
2"	40	9
2-1/2"	20	6
3"	40	18
3-1/2"	30	16
4"	20	13
5"	10	7
6"	8	6
*8"	1	31

#### SCHEDULE 40 PVC COUPLING UL WITH CENTER STOP

#### NEMA TC-3 and UL 514B and UL 651 Utility Duct



\* Fabricated



### SCHEDULE 40 PVC LONGLINE COUPLING WITH CENTER STOP


DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
1-1/2"	25	6
2"	15	5
2-1/2"	10	6
3"	10	9
4"	5	7
5"	5	11
6"	5	19



## SCHEDULE 40 PVC REPAIR SLEEVE COUPLING NO STOP 12" IN LENGTH

DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
1-1/2"	25	6
2"	40	13
2-1/2"	20	12
3"	30	18
4"	20	28
5"	10	22
6"	5	19





## PVC SWEDGE COUPLING BELL X BELL


DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
1-1/4"	50	9.5
2"	50	18.7
2-1/2"	25	17.6
3"	20	23.5
4"	15	31
5"	5	13.7
6"	5	21



#### SCHEDULE 40 PVC 5 DEGREE COUPLING MOLDED BELL X PLAIN

DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
3"	25	15.5
4"	25	23.58





## TC6 PVC 5 DEGREE COUPLING FABRICATED BELL X BELL

DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
2"	20	4.28
3"	25	12.10
4"	15	12.26
5"	8	10.14
6"	4	12.24



DUCT SIZE	BOX QTY	WEIGHT PER BOX (lbs)
2"	20	4.28
3"	25	12.10
4"	15	12.26
5"	8	10.14
6"	4	9.60



